


HM 160.80 Set of beaches



A frame with inclination adjustment, B detail beach surfaces B permeable surface, C impermeable plain surfaces, D impermeable rough surface

Description

impermeable plain beach, impermeable rough beach and beach with permeable surface

In combination with the wave generator HM 160.41, HM 160.80 is used to study the wave run-up at different beaches.

HM 160.80 consists of a stainless steel frame on which different beach surfaces are mounted. The inclination of the beach can be changed in 5% steps in order to observe the wave run-up under different conditions.

Different types of beaches are studied: a beach with a permeable surface or an impermeable beach, a plain or a rough beach.

Learning objectives/experiments

- together with the wave generator HM 160.41:
 - wave run-up at
- an impermeable plain beach
- an impermeable rough beach
- a beach with permeable surface
 - effect of beach inclination
 - effect of depth of water

Specification

- [1] beaches for the experimental flume HM 160
- [2] wave run-up at different beaches: impermeable plain beach, impermeable rough beach, and beach with permeable surface
- simulation of differently ascending [3] beaches by adjusting the inclination of the frame
- [4] all components made of corrosionresistant materials

Technical data

Beach surfaces

- impermeable plain beach
- impermeable rough beach
- beach with permeable surface ■ LxB: 410x82mm

Inclination of the frame: 10...60% in 5% steps

LxWxH: 600x84x60mm Weight: approx. 20kg

Scope of delivery

- 1 frame
- З beach surfaces
- 1 set of accessories 1
 - manual



HM 160.80 Set of beaches

Required accessories

HM 160	Experimental flume 86x300mm
HM 160.41	Wave generator

G.U.N.T. Gerätebau GmbH, Hanskampring 15-17, D-22885 Barsbüttel, Telefon (040) 67 08 54-0, Fax (040) 67 08 54-42, Email sales@gunt.de, Web www.gunt.de We reserve the right to modify our products without any notifications. Page 2/2 - 11.2023